



Manufacturer & Exporter of Best Vacuum Packaging Machinery & All Types of Packaging Machinery

INTRODUCTION

Welcome To Paqee Packaging, A Company Where Easy To Do Business...

PAQEE PACKAGING Has Made A Remarkable Presence In The Market From Last 14 Years Through Its Innovative Technology For All Kind Of Vacuum Packaging Technology. We Are Amongst The Leading Manufacturers, Suppliers, Distributors And Exporters Of Impeccable Range Of Vacuum Packing Machines. We Are At PAQEE PACKAGING, Ready To Understand The Customer Requirement And Provide The Customized Solution For All Vacuum Packaging Machineries As Per Product Packing Requirement. We Offer Our Machineries For Food, Sea Food, Poultry, Pharma, Chemical & Dairy Products Packing Solution. We Also Offer Our Machineries For Electronic Industries, Auto Parts, Diamond Industries, Metal, Textile, Laboratory Product Packaging Solutions. PAQEE PACKAGING Is Committed To Provide Highly Technical Machineries & Solutions For Vacuum Packing For Long Term Customer Satisfaction & Long Life Relationship.

One Of The Main Things That Differentiate Us Is That We Are Happy To Supply Customized And Innovative Solutions For Your Exact Need & Specifications, To Fit Your Every Application Without Causing Any Significant Delays.

Although Our Ambitions Are International, We Remain Committed To Developing Local Relationships And Setting New Standards In Terms Of Performance And Quality. Quality, Know-how, Motivation, Adaptability, Innovation And A High Level Of Service Are The Most Important Factors Governing Our Ability To Fulfil The High Demands And Expectations Of Our Customers.

BRIEF HISTORY

After the very much struggle and excellent in depth market survey mr. ram was founded company named like "PAQEE PACKAGING". The company was founded for manufacturing special purpose machine as per customer requirements and giving extra ordinary products in the market to do hassle free business for entrepreneurs.

In this way PAQEE PACKAGING is provide good customer support, product demos, doing exhibitions, do direct marketing and try to give best benefit to the valued customers.

MISSION

Our Mission Is To Delight Our Customers With Innovative High Quality Products And Excellent Customer Service. We Believe That In Time Delivery Of Products Is As Important As Production Itself. Hence We Aim To Continuously Improve Our Distribution Services And Ensure That Our Products Reach The Customers Easily And On Time.

OUR STRENGTH

Highly Qualified, Trained, Experienced & Technical Known Engineers.
Established R& D Team.
In Time Service With Transparency.

VISION

Our Vision Is To Give Best Products To The Customer With Higher Satisfaction And Complete Individual Need Of Each And Every Customer. We Want To Becoming Leader In All The Products Manufacturing By Us By Innovating On A Continuous Basis.

We Incorporate The New And Advanced Production Techniques Of Packaging. Through Our Constant Innovation Program And Intensive R&d, We Are Committed To Find New And Better Ways Of Fulfilling Our Customer's Needs.

QUALITY ASSURANCE

We At PAQEE PACKAGING, Consider Quality To Be Of Top Priority. Thus We Utilize Quality Raw Materials And Advanced Equipment To Build Best Quality And Performance Machines For Our Clients. We Ensure To Offer Performance, Capacity, Strength, Functional Life And User Friendly Nature With Different Customized Solutions As Per Customer Requirement. To Make Available Highly Standardized Products, Our Machines Are Proved With Number Of Trials As Per Customer Requirement.

STRATEGY

Our Business Strategy Is To Leverage Differentiation To Create A Mindshare Among Customers. Customized Solutions Of High Quality And Impeccable Service Are Our Hallmarks. Our Focus On Innovation Helps Us Better. Our Exiting Offerings And Introduce New Products On Regular Basis. Enhanced Distribution Services Are Also A Key Element Of Our Overall Strategy.

OUR TEAM

We Have Entire Team For Manufacturing Extreme Performance And Quality Products. We Have Good Knowledgeable, Highly Experience Technical Staff To Make Product High Responsible With Great Accuracy. We Also Have Service Staff, Who Function As Helping Hands To Our Clients To Resolve All The Customer Complains Immediately. We Have Technical Team For Production To Carry Out Various Production Process Efficiently.

We Have Separate R&d Team To Design And Develop New Products. They All Are Continuously Engaged With Only R & D Of Products To Make Our Products.

Industries We Serve





OUR TEAM WORK LIKE AN
EXPERT ENGINEER

Our Helping Hand Workshop
Which Helps You Better Understand...

Our Prestigious Customers

3600+ Satisfied Customer



Bringing beyond happiness to our customers...

Single Chamber Vacuum Packaging Machine

www.paqeepackaging.com



Brand	Paqee Packaging	Chamber Dimension	610 mm X 640 mm X 120 mm
Model No.	SC	Chamber Material	Aluminium Dia Cast
Machine Dimension	640 mm X 900 mm X 880 mm	Sealing Length	535 mm
Packing Cycle	2 To 3 Cycle/Min (Depend on Product)	Sealing Width	8 mm, 10 mm
Pump Capacity	300 LPM to 600 LPM	Capacity	100 Gm to 2 Kg (Depend on Product)
Machine Weight	150 Kg	Electrical Material	Digital Electronic Control
Voltage	220/440 V (Other Voltages Also Available)	Body Build Material	All Stainless Steel

We Are Passionately Engaged In Providing Optimum Quality Gamut Of Single Chamber Vacuum Packaging Machine.

SINGLE CHAMBER VACUUM MACHINE

Compact & Industrial Version Of Single Chamber Vacuum Packing Machine, S.s. Vacuum Chamber & Aluminium Dia Cast With 2 Glass Window Lid. S.s. Outer Body, Digital Timer System, Double Sealing Bar. Available In Multiple Different Models.

FEATURES

- To Product After Packing Can Be Prevented From Oxidation, Going Mould, Insects Or Getting Damp, Thus Can Be Kept Fresh For A Longer Time.
- Single Chamber Vacuum Packaging Can Finish The Whole Programs Of Vacuum Extraction, Gas Flushing (Optional), Sealing, Cooling & Exhaust Automatically.
- To Observe Packaging All Process From The Top Of The Transparent Acrylic Glass.
- Easily Removable Silicon Holders.
- Sealing Mechanism Mounted In Housing / Lid.
- Insert Plates For Adjusting Vacuum Chamber Height.
- Noise Free Operations.
- Easy To Adjust The Tray.
- Packaging Size : 100 Gm To 2 Kg (Depend On Product).

BENEFITS OF FOOD PRODUCTS VACUUM PACKING

- Industrial Production - Wholesale – Export Packaging Machines.
- No Contamination Or Bacteria's Multiplication, Hence An Extended Shelf Life Resulting In: - Cost Savings – Increase The Self Life Of Product – Save The Space – Turnover Increase.
- No Loss Of Product Weight, Retention Of Aroma (Prevents Drying Out, Moulds And Freeze Burn).
- Keeps Food Fresher, Optimal Product And Storage Hygiene (Hermetically Sealed).
- Improved Product Quality (Product Maturing In Packaging, No Loss Of Aroma And Colour).
- Protect From Dust, Moisture, Humidity Etc.
- Optimal Packaging Contributes To Food Safety Standards.
- Provide The Concrete Protection To The Product.

BENEFITS OF NON-FOOD PRODUCTS VACUUM PACKING

- Metal - Pharmaceutical Products - Electronics - Semi-conductors - Textiles - Laboratories Etc.
- Increase The Reliability And Get More Value Of Product.
- Moisture Free Anti-corrosive Packaging.
- Air And Dust-free Antistatic Packaging.
- Volume Reducing Packaging.
- Product Protecting And Fraud Resisting Packaging.

OPERATIONAL CONTROL FUNCTIONS

- **Digital Control** : Time Control / Multiple Default Programs.
- **Sensor Control** : Set Percentage Pressure For Vacuum And Gas Functions For Accurate And Constant Packaging Results. (optional).

PACKAGING FUNCTIONS :-

- **Vacuum** : Optimal Final Vacuum 99.99% (0.1 Mbar).
- **Soft-air** : Controlled Ventilation For Protection Of Product And Packaging.
- **Gas-flush** : Injecting Food-gas For Product Protection And Longer Shelf Life, Gas Pressure Monitoring Device For Nitrogen & Carbon Dioxide, Vacuum & Gas Sensor Control For Accurate Level Of Vacuum & Gas. (optional).

SUPPORT CONTROL FUNCTIONS

- Stop Button For Partial / Full Cycle Interrupt.
- Digital Maintenance Program For Pump / Operating Hours Counter / Service Indicator Programs / Sleeper Function Etc (optional).

USEFUL FOR


Namkeen, Khakhra, Spices, Dates, Peanuts, Dry Fruits, Dairy Products, Seeds, Vegetables, Grains, Cheese, Paneer, Meat, Poultry, Fish, Sea Food, Instant Food, Bakery Product, Chemicals, Electronics Components, Pharmaceutical Etc.

OPTIONAL FUNCTIONS

- This Machine Is Usefull For Powder / Solid / Semi Liquid Product.
- Vacuum Is Also Available With Nitrogen Flushing.

Double Chamber Vacuum Packaging Machine

www.paqeepackaging.com



Brand	Paqee Packaging	Chamber Dimension	790 mm X 610 mm X 120 mm
Model No.	DC	Chamber Material	Aluminium Dia Cast
Machine Dimension	1602 mm X 740 mm X 870 mm	Sealing Length	690 mm
Packing Cycle	2 To 3 Cycle/Min (Depend on Product)	Sealing Width	8 mm, 10 mm
Pump Capacity	300 LPM to 600 LPM	Capacity	100 Gm To 2 Kg (Depend on Product)
Machine Weight	250 Kg	Electrical Material	Digital Electronic Control
Voltage	220/440 V (Other Voltages Also Available)	Body Build Material	All Stainless Steel

Our Competency Lies In Providing An Excellent Quality Assortment Of Double Chamber Vacuum Packaging Machine.

DOUBLE CHAMBER VACUUM MACHINE

The Double Chamber Vacuum Packaging Machine Has Two Chambers To Vacuum The Product, Which Prevent Consumption Of Time, Labour & Energy, Increases Production Capacity. S.S. Vacuum Chamber & Aluminium Dia Cast With 2 Glass Window Lid. S.S. Outer Body, Digital Timer System, Double Sealing Bar.

FEATURES

- To Product After Packing Can Be Prevented From Oxidation, Going Mould, Insects Or Getting Damp, Thus Can Be Kept Fresh For A Longer Time.
- Double Chamber Vacuum Packaging Can Finish The Whole Programs Of Vacuum Extraction, Gas Flushing (optional), Sealing, Cooling & Exhaust Automatically.
- To Observe Packaging All Process From The Top Of The Transparent Acrylic Glass.
- Easily Removable Silicon Holders.
- Sealing Mechanism Mounted In Housing / Lid.
- Insert Plates For Adjusting Vacuum Chamber Height.
- Noise Free Operations.
- Easy To Adjust The Tray.
- Packaging Size : 100 Gm To 2 Kg (Depend On Product).

BENEFITS OF FOOD PRODUCTS VACUUM PACKING

- Industrial Production - Wholesale – Export Packaging Machines.
- No Contamination Or Bacteria's Multiplication, Hence An Extended Shelf Life Resulting In: - Cost Savings – Increase The Self Life Of Product – Save The Space – Turnover Increase.
- No Loss Of Product Weight, Retention Of Aroma (Prevents Drying Out, Moulds And Freeze Burn).
- Keeps Food Fresher, Optimal Product And Storage Hygiene (Hermetically Sealed).
- Improved Product Quality (Product Maturing In Packaging, No Loss Of Aroma And Colour).
- Protect From Dust, Moisture, Humidity Etc.
- Optimal Packaging Contributes To Food Safety Standards.
- Provide The Concrete Protection To The Product.

BENEFITS OF NON-FOOD PRODUCTS VACUUM PACKING

- Metal - Pharmaceutical Products - Electronics - Semi-conductors - Textiles - Laboratories Etc.
- Increase The Reliability And Get More Value Of Product.
- Moisture Free Anti-corrosive Packaging.
- Air And Dust-free Antistatic Packaging.
- Volume Reducing Packaging.
- Product Protecting And Fraud Resisting Packaging.

OPERATIONAL CONTROL FUNCTIONS

- **Digital Control** : Time Control / Multiple Default Programs.
- **Sensor Control** : Set Percentage Pressure For Vacuum And Gas Functions For Accurate And Constant Packaging Results. (optional).

PACKAGING FUNCTIONS

- **Vacuum** : Optimal Final Vacuum 99.99% (0.1 Mbar).
- **Soft-air** : Controlled Ventilation For Protection Of Product And Packaging.
- **Gas-flush** : Injecting Food-gas For Product Protection And Longer Shelf Life, Gas Pressure Monitoring Device For Nitrogen & Carbon Dioxide, Vacuum & Gas Sensor Control For Accurate Level Of Vacuum & Gas. (optional).

SUPPORT CONTROL FUNCTIONS

- STOP button for partial / full cycle interrupt.
- Digital maintenance program for pump / Operating hours counter / Service indicator programs Sleeper function etc (Optional).

USEFUL FOR

Namkeen, Khakhra, Spices, Dates, Peanuts, Dry Fruits, Dairy Products, Seeds, Vegetables, Grains, Cheese, Paneer, Meat, Poultry, Fish, Sea Food, Instant Food, Bakery Product, Chemicals, Electronics Components, Pharmaceutical etc.

OPTIONAL FUNCTIONS

- This Machine Is Usefull For Powder / Solid / Semi Liquid Product.
- Vacuum Is Also Available With Nitrogen Flushing.

Vertical Vacuum Packaging Machine

www.paqeepackaging.com



Brand	Paqee Packaging	Chamber Dimension	725 mm X 325 mm X 760 mm
Model No.	VC	Chamber Material	Aluminium Dia Cast
Machine Dimension	840 mm x 1500 mm x 1100 mm	Sealing Length	663 mm
Packing Cycle	2 To 3 Cycle/Min (Depend on Product)	Sealing Width	8 mm, 10 mm
Pump Capacity	300 LPM, 600 LPM, 1100 LPM	Capacity	5 Kg To 25 Kg (Depend on Product)
Machine Weight	300 Kg	Electrical Material	Digital Electronic Control
Voltage	220/440 V (Other Voltages Also Available)	Body Build Material	All Stainless Steel

We Are Counted Among The Leading Firms For Providing A Wide Range Of Vertical Vacuum Packaging Machine.

FEATURES

- To Product After Packing Can Be Prevented From Oxidation, Going Mould, Insects Or Getting Damp, Thus Can Be Kept Fresh For A Longer Time.
- Vertical Chamber Vacuum Packaging Can Finish The Whole Programs Of Vacuum Extraction, Gas Flushing (Optional), Sealing, Cooling & Exhaust Automatically.
- To Observe Packaging All Process From The Top Of The Transparent Acrylic Glass.
- Easily Removable Silicon Holders.
- Base Conveyor With Pipe Rollers For Easy Movement Of The Product.
- Sealing Mechanism Mounted In Housing / Lid.
- Adjustable Height Of The Base Conveyor For Products Having Different Heights.
- Insert Plates For Adjusting Vacuum Chamber Height.
- Can Be Conveyorised For Heigher Output.
- Noise Free Operations.
- Easy To Adjust The Tray.
- Packaging Size : 5 Kg To 25 Kg (Depend On Product).

BENEFITS OF FOOD PRODUCTS VACUUM PACKING

- Industrial Production - Wholesale – Export Packaging Machines.
- No Contamination Or Bacteria's Multiplication, Hence An Extended Shelf Life Resulting In: - Cost Savings – Increase The Self Life Of Product – Save The Space – Turnover Increase.
- No Loss Of Product Weight, Retention Of Aroma (prevents Drying Out, Moulds And Freeze Burn).
- Keeps Food Fresher, Optimal Product And Storage Hygiene (hermetically Sealed).
- Improved Product Quality (product Maturing In Packaging, No Loss Of Aroma And Colour).
- Protect From Dust, Moisture, Humidity Etc.
- Optimal Packaging Contributes To Food Safety Standards.
- Provide The Concrete Protection To The Product.

BENEFITS OF NON-FOOD PRODUCTS VACUUM PACKING

- Metal - Pharmaceutical Products - Electronics - Semi-conductors - Textiles - Laboratories Etc.
- Increase The Reliability And Get More Value Of Product.
- Moisture Free Anti-corrosive Packaging.
- Air And Dust-free Antistatic Packaging.
- Volume Reducing Packaging.
- Product Protecting And Fraud Resisting Packaging.

OPERATIONAL CONTROL FUNCTIONS

- **Digital Control** : Time Control / Multiple Default Programs.
- **Sensor Control** : Set Percentage Pressure For Vacuum And Gas Functions For Accurate And Constant Packaging Results. (optional)

PACKAGING FUNCTIONS

- **Vacuum** : Optimal Final Vacuum 99.99% (0.1 Mbar).
- **Soft-air** : Controlled Ventilation For Protection Of Product And Packaging.
- **Gas-flush** : Injecting Food-gas For Product Protection And Longer Shelf Life, Gas Pressure Monitoring Device For Nitrogen & Carbon Dioxide, Vacuum & Gas Sensor Control For Accurate Level Of Vacuum & Gas. (optional).

SUPPORT CONTROL FUNCTIONS

- Stop Button For Partial / Full Cycle Interrupt.
- Digital Maintenance Program For Pump / Operating Hours Counter / Service Indicator Programs / Sleeper Function Etc (Optional).

USEFUL FOR


Namkeen, Khakhra, Spices, Dates, Peanuts, Dry Fruits, Dairy Products, Seeds, Vegetables, Grains, Cheese, Paneer, Meat, Poultry, Fish, Sea Food, Instant Food, Bakery Product, Chemicals, Electronics Components, Pharmaceutical Etc.

OPTIONAL FUNCTIONS

- This Machine Is Usefull For Powder / Solid / Semi Liquid.
- Vacuum Is Also Available With Nitrogen Flushing.
- The Chamber Size, Sealing Length Are Custom Built.
- Vibrating Table For Compaction Of The Material To Be Packed.
- All Stainless Steel Mold & Formers To Get The Perfect Cube Shape For Molded Vacuum Packaging.

Vertical Brick Vacuum Packaging Machine

www.paqeepackaging.com



We Are Passionately Engaged In Providing Optimum Quality Gamut And We Are Counted Among The Leading Firms For Providing A Wide Range Of Brick Vacuum Packaging Machine.

Compact & Industrial Version Of Brick Vacuum Packing Machine, S.s. Vacuum Chamber & M.s. / S.S. Dia Cast. S.S. Outer Body. Digital Timer System, Available In Multiple Different Models.

FEATURES

- To Product After Packing Can Be Prevented From Oxidation, Going Mould, Insects Or Getting Damp, Thus Can Be Kept Fresh For A Longer Time.
- Brick Vacuum Packaging Can Finish The Whole Programs Of Vacuum Extraction, Gas Flushing (Optional), Sealing, Cooling & Exhaust Automatically.
- Easily Removable Silicon Holders.
- Sealing Mechanism Mounted In Housing / Lid.
- Insert Plates For Adjusting Vacuum Chamber Height.
- Noise Free Operations.
- Easy To Adjust The Tray.
- Packaging Size : 1 Kg to 12 Kg (Depend On Product).

BENEFITS OF FOOD PRODUCTS VACUUM PACKING

- Industrial Production - Wholesale - Export Packaging Machines.
- No Contamination Or Bacteria's Multiplication, Hence An Extended Shelf Life Resulting In: - Cost Savings - Increase The Self Life Of Product - Save The Space - Turnover Increase.
- No Loss Of Product Weight, Retention Of Aroma (Prevents Drying Out, Moulds And Freeze Burn).
- Keeps Food Fresher, Optimal Product And Storage Hygiene (Hermetically Sealed).
- Improved Product Quality (Product Maturing In Packaging, No Loss Of Aroma And Colour).
- Protect From Dust, Moisture, Humidity Etc.
- Optimal Packaging Contributes To Food Safety Standards.
- Provide The Concrete Protection To The Product.

BENEFITS OF NON-FOOD PRODUCTS VACUUM PACKING

- Metal - Pharmaceutical Products - Electronics - Semi-conductors - Textiles - Laboratories Etc.
- Increase The Reliability And Get More Value Of Product.
- Moisture Free Anti-corrosive Packaging.
- Air And Dust-free Antistatic Packaging.
- Volume Reducing Packaging.
- Product Protecting And Fraud Resisting Packaging.

OPERATIONAL CONTROL FUNCTIONS

- **Digital Control** : Time Control / Multiple Default Programs.
- **Sensor Control** : Set Percentage Pressure For Vacuum And Gas Functions For Accurate And Constant Packaging Results. (optional)

PACKAGING FUNCTIONS :-

- **Vacuum** : Optimal Final Vacuum 99.99% (0.1 Mbar).
- **Soft-air** : Controlled Ventilation For Protection Of Product And Packaging.
- **Gas-flush** : Injecting Food-gas For Product Protection And Longer Shelf Life, Gas Pressure Monitoring Device For Nitrogen & Carbon Dioxide, Vacuum & Gas Sensor Control For Accurate Level Of Gas. (optional).

SUPPORT CONTROL FUNCTIONS

- Stop Button For Partial / Full Cycle Interrupt.
- Digital Maintenance Program For Pump / Operating Hours Counter / Service Indicator Programs / Sleeper Function Etc (optional).

USEFUL FOR

Namkeen, Khakhra, Spices, Dates, Peanuts, Dry Fruits, Dairy Products, Seeds, Vegetables, Grains, Cheese, Paneer, Meat, Poultry, Fish, Sea Food, Instant Food, Bakery Product, Chemicals, Electronics Components, Pharmaceutical Etc.

OPTIONAL FUNCTIONS

- This Machine Is Useful For Powder / Solid / Semi Liquid Product.
- Vacuum Is Also Available With Nitrogen Flushing.
- The Chamber Size, Sealing Length Are Custom Built.
- Vibrating Table For Compaction Of The Material To Be Packed.
- All Stainless Steel Mold & Formers To Get The Perfect Cube Shape For Molded Vacuum Packaging.



Brand	Paqee Packaging	Chamber Dimension	710 mm X 165 mm X550 mm
Model No.	BC	Chamber Material	Stainless Steel / Mild Steel
Machine Dimension	860 mm X 730 mm X 1020 mm	Sealing Length	660 mm
Packing Cycle	2 To 3 Cycle/Min (Depend on Product)	Sealing Width	8 mm, 10 mm
Pump Capacity	300 LPM, 600 LPM	Capacity	1 Kg to 12 Kg (Depend on Product)
Machine Weight	180 Kg	Electrical Material	Digital Electronic Control
Voltage	220/440 V (Other Voltages Also Available)	Body Build Material	All Stainless Steel

Khajoor Imli Lata Hydraulic Pressing Machine 6 Dies

www.paqeepackaging.com



We Are Among The Reputed Organizations, Deeply Engaged In Offering An Optimum Quality Range Of Dates Khajoor Imli Lata / Slab Hydraulic Making Machine.

TECHNICAL SPECIFICATION

- **Brand** : Paqee Packaging
- **Operation** : PLC Based Hydraulic & Electric
- **Machine Speed** : 8 to 15 pcs/min (Depend on Product)
- **Packing Size** : 250 gm to 1 kg
- **Power** : 2.5 HP (440v AC)
- **Shape** : Square / Rectangle (Customized as per Requirement)
- **Machine Size** : 900 mm x 960 mm x 1130 mm

FEATURES

- To Product After Packing Can Be Prevented From Oxidation, Going Mould, Insects Or Getting Damp, Thus Can Be Kept Fresh For A Longer Time.
- To Observe Packaging All The Process From Front Of The Machine.
- Noise Free Operations.
- Easy To Adjust The Die.
- Packaging Size : 250 Gm To 1 Kg (Depend On Product).


USEFUL FOR

Dates Khajur & Tamarind imli.

Brand	Paqee Packaging	Body Build Material	All Stainless Steel / Mild Steel
Model No.	6 LP	Pressure	Variable
Machine Dimension	900 mm x 960 mm x 1130 mm	Die Size / Shape	Square & Rectangle (Customized as per requirement)
Machine Speed	8 To 15 Pcs/min (Depend on Product & Packaging Size)	Die Quantity	Six Dies
Operation	PLC Based Hydraulic based & Electric	Packaging Size	250 Gm to 1 Kg
Machine Weight	250 Kg	Product Features	PLC Based Control Panel Flat Working Surface For Easy Operation.
Voltage	440 V - 2.5 HP (Other Voltages Also Available)	Usage	Dates, Tamarind

Khajoor Lata Pressing Machine With 2 Dies

www.paqeepackaging.com



We Are Among The Reputed Organizations, Deeply Engaged In Offering An Optimum Quality Range Of Dates Khajoor Imli Lata / Slab Hydraulic Making Machine.

TECHNICAL SPECIFICATION

- **Brand :** Paqee Packaging
- **Packing Size :** 250 gm to 1 kg.
- **Operation :** Hydraulic Based & Electric
- **Machine Speed :** 30 to 33 pcs/min (Depend on Product)
- **Shape :** Square / Rectangle / Round (Customized as per Requirement)
- **Machine Size :** 630 mm x 920 mm x 1020 mm
- **Pressure :** Variable
- **Power :** 2.5 HP (440v AC)

FEATURES

- To Product After Packing Can Be Prevented From Oxidation, Going Mould, Insects Or Getting Damp, Thus Can Be Kept Fresh For A Longer Time.
- To Observe Packaging All The Process From Front Of The Machine.
- Noise Free Operations.
- Easy To Adjust The Die.
- Packaging Size : 250 Gm To 1 Kg (Depend On Product).

USEFUL FOR

Dates Khajur & Tamarind imli.



Brand	Paqee Packaging	Pressure	Variable
Model No.	2 LP	Die Size / Shape	Square, Rectangle & Round (Customized as per Requirement)
Machine Dimension	630 mm x 920 mm x 1020 mm	Operation	Hydraulic Based & Electric
Machine Speed	30 To 33 Pcs/min (Depend on Product)	Packaging Size	250 Gm to 1 Kg
Machine Weight	200 Kg	Die Quantity	2 Dies
Voltage	440 V - 2.5 HP (Other Voltages Also Available)	Product Features	Electric Based Control Panel Flat Working Surface For Easy Operation.
Body Build Material	All Stainless Steel / Mild Steel	Usage	Dates, Tamarind

Shrink Wrapping Machine

www.paqeepackaging.com



With The Support Of The Adept Professionals, We Have Been Able To Offer A \ Superior Quality Array Of Shrink Wrapping Machine.

FEATURES

- Shrink Tunnel Adopts Hot Wind & Down Cyclone Structure Intelligence Temperature Control & Variable Speed Regulation.
- There Are Two Optional Conveyors, Including Teflon Belt Type And Roller Type.
- Shrink Tunnel Are Applied To Heat Shrinkable Film Such As, Pvc (Polyvinyl Chloride), Pof (polyolefin), Pp (polypropylene) And Ldpe (low-density Polyethylene) Films.
- Deliver Fast And Smooth Operation Has A Robust Body Low Power Consumption.
- Provide With Digital / Deviation Thermostatic Heat Controlling System.
- Power Supply (v/hz) : 50 Hz / 220 V.
- User Friendly.

APPLICATION :

- Shrink Packing For Many Industries, Such As Beverage, Beer, Soda, Water, Printing, Pharmacy, Floor, Chinaware, Kitchen Ware, Hardware Etc.
- It's Suitable For All Kinds Of Shrink Films Such As Pvc, Pof, Pp , Pe Etc.



Brand	Paqee Packaging	Country Of Origin	Made in India
Model No.	SW , PS01	Automation Grade	Automatic
Power Of Heater	3 Kw	Conveyor Speed	Variable / Fix
Total Length	26", 36", 60", 60", 90" - Depend on Product	Chamber Size	8 x 5", 12 x 10", 12 x 12", 16 x 12", 18 x 16" - Depend on Product
I Deal In	New Only	No Of Heater	3, 6, 9, 9, 11
Power Source	Electric	Usage/ Application	Beverage, Beer, Soda, Printing, Pharmacy, Chinaware, Kitchen ware, Hardware, Water, Floor,
Phase	Three Phase, Single Phase		

Model No.	Chamber Size	Conveyor Speed	Total Length	Power of Heater	No. of Heaters
PS01	8 x 5 (Inch)	Variable	26 Inches	3 K.W	3
P3S02	12 x 10 (Inch)	Variable / Fix	36 Inches	3 K.W	6
P5S03	12 x 12 (Inch)	Variable / Fix	60 Inches	6 K.W	9
P5S04	16 x 12 (Inch)	Variable / Fix	60 Inches	9 K.W	9
P6S05	18 x 16 (Inch)	Variable / Fix	90 Inches	9 K.W	11

Web Sealer / Sleeve Wrapping Machine

www.paqeepackaging.com



We Are An Acclaimed Name Engaged In Offering Our Precious Clients Superior Quality Automatic Web Sealer. The Offered Sealer Are Smoothly Developed In Our Highly Updated Manufacturing Unit By Consuming Finest Quality Basic Material And Leading Technology In Accordance With Universal Accepted Standards Under The Supervision Of Our Quality Expert Person. In Addition, Patrons Can Avail These Sealers From Us At Very Suitable Rate.

FEATURES

- Latest Advance Design For Best Performance.
- Best Quality Mechanical & Electronics Parts Are Used For Long Working Life.
- Easy To Operate And Maintain.
- The Machine Is Suitable For Shrink Packing Both Single Object And Combined Objects.
- Longer Functional Life.
- Rigid Construction.
- Hassle Free Operation.
- Fine Finish.
- The Equipment Can Be Connected To The Production Line To Complete Feeding, Film Wrapping, Sealing & Cutting, Shrinking And Cooling Automatically.
- Adopt Standard Plc To Achieve Light, Mechanical, Electrical And Instrumental Integration.
- Adopt Specially-designed Sealing Cutter For Perfect Sealing Without Cracking Or Film Stuck To The Cutter.

SPECIFICATIONS

- Comes With Intelligent Temperature Controller For Stable Performance.
- Comes With Large Tensioning Force And Convenient Operations.
- Large Power Conveyer Motor With Steeples Speed Regulating.
- Option Of Adjusting Input Position.
- Super Cooling System For Cooling Packing.
- Comes With Smooth Feeding Action.
- Up And Down Large Power Fan System For Ensuring Excellent Effect Of Shrinking.
- Option Of Customizing Size Of Tunnel As Per Requirements.
- Glass Wool Insulation With Asbestos Sheet For Safety Purpose.

APPLICATION

- Shrink Packing For Many Industries, Such As Beverage, Beer, Soda, Water, Printing, Pharmacy, Floor, Chinaware, Kitchen Ware, Hardware Etc.
- It's Suitable For All Kinds Of Shrink Films Such As Pvc, Pof, Pp , Pe Etc.

Brand	Paqee Packaging	Capacity	50 - 100 Pieces Per Minute
Model No.	WS	Country Of Origin	Made in India
Application	Industrial	I Deal In	New Only
Automation Grade	Automatic	Frequency	50 - 60 Hz
Voltage	380 - 440 V	Driven Type	Electric
Power	10 - 15 Kw	Type	Automatic
Material	Stainless Steel or Mild Steel	Usage	Beverage, Beer, Soda, Water, Printing, Pharmacy, Chinaware, Floor, Kitchen ware, Hardware
Phase	3 Phase		

Automatic Web Sealer (Shrink Tunnel Machine)

www.paqeepackaging.com



We Are A Reputed Entity In The Industry, Actively Engaged In Offering An Optimum Quality Range Of Web Sealer Shrink Tunnel Machine.

PRODUCT DESCRIPTION

We Offer Web Sealer Shrink Tunnel Machine That Is Designed For Unique And Special Packing Requirements Of Our Clients. Produced Using Advanced Sophisticated Machines And Infrastructure, These Machines Are High In Performance, Utility, Easy To Operate And Serve For Long.

- Automatic Feeding, Iteming, Product Pushing, Film Feeding And Sealing.
- It Can Package Several Sets Without Tray In According To Requirement. Operation Is Easy And Simple.
- Sealing Cutter Is Specially Designed, Sealing Line Is Firm, Without Cracking, And Without Sticking To The Knife.
- Adopts World Advance Components, Stable And Durable.
- Non-polar Mechanical Speed Adjustment, Adjust Speed Of Feeding Conveyor.
- According To Different Bottle Shape, Design Feeding Device.
- Suitable For Pe Shrink Film.

SPECIFICATIONS

- Comes With Intelligent Temperature Controller For Stable Performance.
- Comes With Large Tensioning Force And Convenient Operations.
- Large Power Conveyer Motor With Steeples Speed Regulating.
- Option Of Adjusting Input Position.
- Super Cooling System For Cooling Packing.
- Comes With Smooth Feeding Action.
- Up And Down Large Power Fan System For Ensuring Excellent Effect Of Shrinking.
- Option Of Customizing Size Of Tunnel As Per Requirements.
- Glass Wool Insulation With Asbestos Sheet For Safety Purpose.

FEATURES

- High Operation.
- High Speed.
- Robust Construction.
- Flexible And Convenient To Use.
- It Adopts Pvc, Pof & Ldpe Shrink Film.
- Web Sealer Shrink Machine Rod Type & S.s. Belt Type.
- Cooling Chamber.
- Free Roller Conveyor.
- Gives Stability To The Pack.
- Easy Control Panel For Operation.
- Machine's Available As Per The Product Size Requirement.
- High Quality Fabricated M S Body With Powder Coating / S.S.

APPLICATION

- Shrink Packing For Many Industries, Such As Beverage, Beer, Soda, Water, Printing, Pharmacy, Floor, Chinaware, Kitchen Ware, Hardware Etc.
- It's Suitable For All Kinds Of Shrink Films Such As Pvc, Pof, Pp , Pe Etc.



Brand	Paqee Packaging	Air Compressed Pressure	6 Bar
Model No.	AWS	I Deal In	New Only
Model Name	Automatic Web Sealer	Frequency	50 - 60 Hz
Voltage	220 - 440v	Country of Origin	Made in India
Capacity	60 Bottles / Minute	Power Source	Electric
Automation Grade	Automatic	Chamber Size	42 x 22 x 16 Inch
Material	Stainless Steel or Mild Steel	Conveyor Speed	Variable / Fix
Phase	3 Phase	Power Consumption	18 Kw
Machine Size	78 x 30 x 132 Inch	Usage	Beverage, Beer, Soda, Water, Printing, Pharmacy,, Chinaware, Kitchen ware, Hardware, Floor
Machine Weight	375 to 450 KG		

PAQEE SERIES

FAST AND ROBUST VACUUM PACKAGING MACHINES WITH WORLD WIDE REPUTATION

- Complete Range For Vacuum, Khajoor Imli Lata Pressing And All Types Packaging Solutions.
- Renowned Series Of Stainless Steel Packaging Machines For Industrial Applications.
- Extensive Program Choices For Specific Packaging Requirements.
- Hygienic And Intelligent Design.
- User Friendly And Low Maintenance Supplied With Complete Service Program.

BENEFITS OF FOOD PRODUCTS VACUUM PACKING

- Industrial Production - Wholesale – Export Packaging Machines.
- No Contamination Or Bacteria's Multiplication, Hence An Extended Shelf Life Resulting In: - Cost Savings – Increase The Self Life Of Product – Save The Space – Turnover Increase.
- No Loss Of Product Weight, Retention Of Aroma (Prevents Drying Out, Moulds And Freeze Burn).
- Keeps Food Fresher, Optimal Product And Storage Hygiene (Hermetically Sealed).
- Improved Product Quality (Product Maturing In Packaging, No Loss Of Aroma And Colour).
- Protect From Dust, Moisture, Humidity Etc.
- Optimal Packaging Contributes To Food Safety Standards.
- Provide The Concrete Protection To The Product.

BENEFITS OF NON-FOOD PRODUCTS VACUUM PACKING

- Metal - Pharmaceutical Products - Electronics - Semi-conductors - Textiles - Laboratories Etc.
- Increase The Reliability And Get More Value Of Product.
- Moisture Free Anti-corrosive Packaging.
- Air And Dust-free Antistatic Packaging.
- Volume Reducing Packaging.
- Product Protecting And Fraud Resisting Packaging.

OPERATIONAL CONTROL FUNCTIONS

- **Digital Control** : Time Control / Multiple Default Programs.
- **Sensor Control** : Set Percentage Pressure For Vacuum And Gas Functions For Accurate And Constant Packaging Results. (Optional).

SPECIFICATIONS

GENERAL (SC, DC, VC, BC)

- Single And Double Chamber Floor Models.
- Stainless Steel Housing.
- Stainless Steel Flat & Deep Working Plate.
- Stainless Steel & Aluminium Lid.
- Easily Removable Silicon Holders.
- Sealing Mechanism Mounted In Housing / Lid.
- Insert Plates For Adjusting Vacuum Chamber Height.

GENERAL (VC, BC)

- Base Conveyor With Pipe Rollers For Easy Movement Of The Product.
- Stainless Steel / Mild Steel.
- Adjustable Height Of The Base Conveyor For Product.
- Aluminium Dia Cast / Stainless Steel Lid.
- Can Be Conveyerised For Higher Output.
- Sealing Mechanism Mounted In Housing.
- Pressure Bar Aluminium.
- Seal Bar Epoxy High Temperature Grade.
- Useful For Molded Vacuum Packaging For Brick Shaped Packs.

PACKAGING FUNCTIONS

- **Vacuum** : Optimal Final Vacuum 99.99% (0.1 Mbar).
- **Soft-air** : Controlled Ventilation For Protection Of Product And Packaging.
- **Gas-flush** : Injecting Food-gas For Product Protection And Longer Shelf Life, Gas Pressure Monitoring Device For Nitrogen & Carbon Dioxide, Vacuum & Gas Sensor Control For Accurate Level Of Vacuum & Gas. (Optional).

SUPPORT CONTROL FUNCTIONS




- Stop Button For Partial / Full Cycle Interrupt.
- Digital Maintenance Program For Pump / Operating Hours Counter / Service Indicator Programs / Sleeper Function Etc (optional).

USEFUL FOR

Namkeen, Khakhra, Spices, Dates, Peanuts, Dry Fruits, Dairy Products, Seeds, Vegetables, Grains, Cheese, Paneer, Meat, Poultry, Fish, Sea Food, Instant Food, Bakery Product, Chemicals, Electronics Components, Pharmaceutical Etc.

OPTIONAL FUNCTIONS

- This Machine Is Usefull For Powder / Solid / Semi Liquid.
- Vacuum Is Also Available With Nitrogen Flushing.
- The Chamber Size, Sealing Length Are Custom Built.
- Vibrating Table For Compaction Of The Material To Be Packed.
- All Stainless Steel Mold & Formers To Get The Perfect Cube Shape For Molded Vacuum Packaging.





Paqee Packaging Network
Global Reach, Local Touch

- Thailand
- Europe
- Singapore
- Canada
- USA
- Australia
- South Africa
- Dubai
- Kenya
- Nepal
- Bhutan
- Saudi Arabia
- Qatar
- Nigeria



**OUR TEAM WORK LIKE AN
EXPERT ENGINEER**



Digital India
Power To Empower

dun & bradstreet



🌐 www.paqeepackaging.com

☎ +91 89789 81881

✉ paqeepackaging@gmail.com ✉ info@paqeepackaging.com

📍 Shed - 2, PL-13, Rani Ind. Area, B/H. Parin Furniture Gondal Road, Rajkot - 360 004.

FOLLOW US: [f](#) | [t](#) | [i](#) | [in](#) | [v](#) | [p](#)

